



PUBLIC WORKS DEPARTMENT

Engineering Division

ADDENDUM TO CONTRACT DOCUMENTS

TO: Planholders

FROM: John C. Zeman, City Engineer

DATE: April 12, 2023

SUBJECT: Sanitary and Storm Sewer Lining 2023
 Section 23-00662-00-SA
 Letting Date: April 14, 2023
 Addendum No. 03

This addendum is issued to incorporate the following additions, deletions, modifications, clarifications, and additional information to the Plans and Specifications and is hereby made a part of the Contract Documents dated March 29, 2023. This Addendum shall supersede, modify and/or change all statements or drawings to the contrary in the Plans and Special Provisions and shall take precedence over these documents. **BIDDERS MUST SIGN THE ADDENDUM AND SUBMIT IT WITH THEIR BIDS.**


On page 7 of the Special Provisions, Paragraph 4 of Technical Provision 3.4 “Sewer Lining” has been revised to the following:

Add to 1.3.C of the NASSCO CIPP Installation PSG:
 CCTV inspections shall be completed with a NASSCO certified “import and export software” and shall generate NASSCO transfer files for inspection data and videos.

Bidder must acknowledge this addendum by signing below and attaching the signed addendum to this bid form.

Company Name: _____ Date: _____

Contact Person: _____ Signature: _____

Sincerely,

 John C. Zeman
 City Engineer

PART 3 - TECHNICAL PROVISIONS

The following Special Provisions supplement the “Standard Specifications for Road and Bridge Construction, Adopted January 1, 2022”, the latest edition of the “Manual on Uniform Traffic Control Devices for Streets and Highways”, and the “Manual of Test Procedures for Materials” in effect on the date of invitation for bids, and the “Supplemental Specifications and Recurring Special Provisions” indicated on the Check Sheet included herein, which apply to and govern the construction of Section 23-00662-00-SA (Sanitary and Storm Sewer Lining 2023) and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

3.1 Location of Project

Various segments of sanitary and storm sewers owned and maintained by the City of Urbana, located within public ROW or utility easements. The sewer segments are identified in Sewer Schedule Tables within the Plans section of this document, as well as with an online GIS map found at the following link:

<https://urbana.ccgisc.org/portalurbana/apps/mapviewer/index.html?webmap=3fdfab66af984469910780318dfe1bc3>

3.2 Description of Work

This project consists of rehabilitation of existing gravity sewers, both storm and sanitary, by the installation of cured-in-place pipe (CIPP). The sewer pipe diameters range from 8 inches to 30 inches.

3.3 Tree Limb Pruning

The City of Urbana will perform any tree limb pruning required to accommodate construction operations. If the Contractor encounters any existing tree limbs that will impede the progress of construction, the Contractor shall notify the Engineer.

3.4 Sewer Lining

Description. This work shall consist of the rehabilitation of sanitary and storm sewer pipelines by the installation of cured-in-place pipe (CIPP) within the existing, deteriorated pipe, according to the NASSCO Cured-In-Place Pipe (CIPP) Installation Performance Specification Guideline (PSG), 2020 Edition.

General. A copy of the NASSCO CIPP Installation PSG is included with the contract documents and has been modified with strikeouts and the following specifications.

Reports of CCTV inspection of the sewer segments designated for lining are included within the Plans section of this document as “Sewer Inspection Reports”.

Add to 1.3.C of the NASSCO CIPP Installation PSG:

CCTV inspections shall be completed with a NASSCO certified “import and export software” and shall generate NASSCO transfer files for inspection data and videos.

Addendum 03, 4/12/2023